



oscar
SAFETY FOOTWEAR®



PRODUCT CATALOGUE 2026



JKKP/2025/12-01/00153



MS ISO 20345 : 2008
PC 004954



BUATAN MALAYSIA
MADE IN MALAYSIA



DURA

830 BLACK

LACE UP LOW CUT SHOE



829 BLACK

LACE UP MIDCUT BOOT



807 BLACK

ZIPPED MIDCUT BOOT



201 BLACK

LACE UP LOW CUT SHOE



SBP

UK	4	5	6	7	8	9	10	11	12
EU	37	38	40	41	42	43	44	46	47



202 BLACK

LACE UP ANKLE BOOT



IDEAL FOR:

- CONSTRUCTION
- WAREHOUSING & LOGISTICS
- MANUFACTURING
- AUTOMOTIVE WORKSHOPS
- GENERAL INDUSTRIAL WORK
- AGRICULTURE

203 BLACK

PULL ON HIGH CUT BOOT



204 ORANGE

PULL ON HIGH CUT BOOT




*Disclaimer: For complete product specifications and safety guidelines, please refer to the Technical Data Sheet (TDS)
*Color may slightly vary

806 BROWN

ZIPPED MID CUT BOOT



SBP	UK	4	5	6	7	8	9	10	11	12
	EU	37	38	40	41	42	43	44	46	47



808 D.BROWN

PULL ON HIGH CUT BOOT

IDEAL FOR:

- CONSTRUCTION
- WAREHOUSING & LOGISTICS
- MANUFACTURING
- AUTOMOTIVE WORKSHOPS
- GENERAL INDUSTRIAL WORK
- AGRICULTURE
- MINING INDUSTRY

DURA+





903 BLACK

SLIP ON LOW CUT SHOE



S1P LADIES SIZE

US	5	6	7	8	9	10
UK	2	3	4	5	6	7
EU	35	36	37	38	39	40



905 BLACK

LACE UP LOW CUT SHOE



IDEAL FOR:

- ELECTRONICS MANUFACTURING
- DATA CENTERS & SERVER FACILITIES
- PRECISION ASSEMBLY
- LABORATORIES & TESTING FACILITIES
- PHARMACEUTICAL MANUFACTURING
- CONSTRUCTION CONSULTANT
- FOOD & BEVERAGE PROCESSING

*Disclaimer: For complete product specifications and safety guidelines, please refer to the Technical Data Sheet (TDS)
*Color may slightly vary



ESD (ELECTROSTATIC DISCHARGE) SAFETY SHOES are designed to safely discharge static electricity from the human body to the ground, preventing damage to sensitive electronic components and reducing the risk of **SPARKS** in **FLAMMABLE** industries.

831 BROWN

LACE UP MID CUT BOOT



L831 BROWN

LACE UP MID CUT BOOT



832 BROWN

LACE UP LOW CUT SHOE



L832 BROWN

LACE UP LOW CUT SHOE



801 MAROON

SLIP ON LOW CUT SHOE



S3

UK	2	3	4	5	6	7	8	9	10	11	12
EU	35	36	37	38	40	41	42	43	44	46	47



802 BLACK


SLIP ON LOW CUT SHOE



IDEAL FOR:

- ELECTRONICS MANUFACTURING
- SEMICONDUCTOR PLANTS
- DATA CENTER
- FLOUR MILL
- PETROCHEMICAL & OIL REFINERY
- PAINT, COATING & ADHESIVES

BROAD FITTING COMFORT



163 BROWN

LACE UP MID CUT BOOT



Provides ample space. Allows toes to naturally splay for stability and comfort on rugged terrain. Ideal for long distances and all-day wear.



1901 MAROON

LACE UP LOW CUT SHOE



1904 BLACK

LACE UP ANKLE BOOT



1902 BLACK

LACE UP LOW CUT SHOE



1905 MAROON

LACE UP ANKLE BOOT



1903 MAROON

SLIP ON LOW CUT SHOE



**EXECUTIVE
SERIES**



CLASSIC SERIES

SBP

UK	4	5	6	7	8	9	10	11
EU	37	38	40	41	42	43	44	46



136 BLACK

LACE UP ANKLE BOOT



131 BLACK

LACE UP LOW CUT SHOE



IDEAL FOR:

- CONSTRUCTION
- WAREHOUSING & LOGISTICS
- MANUFACTURING
- AUTOMOTIVE WORKSHOPS
- GENERAL INDUSTRIAL WORK

*Disclaimer: For complete product specifications and safety guidelines, please refer to the Technical Data Sheet (TDS)
*Color may slightly vary

SPORT MAX

122 KHAKI

LACE UP MID CUT BOOT




123 GREY

LACE UP MID CUT BOOT



S3L

UK	4	5	6	7	8	9	10	11
EU	37	38	40	41	42	43	44	46



125 KHAKI

LACE UP LOW CUT SHOE



126 GREY

LACE UP LOW CUT SHOE



IDEAL FOR:

- ELECTRONICS MANUFACTURING
- SEMICONDUCTOR PLANTS
- DATA CENTER
- FLOUR MILL
- PETROCHEMICAL & OIL REFINERY
- PAINT, COATING & ADHESIVES

URBAN TREK

SBP

UK	4	5	6	7	8	9	10	11
EU	37	38	40	41	42	43	44	46



IDEAL FOR:

- WAREHOUSING & LOGISTICS
- MANUFACTURING
- AUTOMOTIVE WORKSHOPS
- LABORATORIES & TESTING FACILITIES
- PHARMACEUTICAL MANUFACTURING
- FOOD & BEVERAGE PROCESSING

168 Tangerine

LACE UP LOW CUT SHOE



988 BLACK

CHEF CLOGS UK 5 6 7 8 9 10 11



IDEAL FOR:

- Healthcare & Medical Facilities
- Food Service & Hospitality
- Food Processing & Manufacturing
- Cleaning & Janitorial Services

This specialized rubber outsole is a high-performance, slip-resistant component engineered for use in flat, low-traction environments such as professional kitchens, hospitals, and industrial production floors.

*Disclaimer: For complete product specifications and safety guidelines, please refer to the Technical Data Sheet (TDS)
*Color may slightly vary



Toe Impact
Impact Resist
200 Joule



**Slip Resistance Toe
(Backward)**
Coefficient of Friction:
 ≥ 0.36 (Ceramic & Cleaner)
 ≥ 0.22 (Ceramic & Glycerin)



Toe Compression
Compression Resist
20,000 Newton



**Slip Resistance Heel
(Forward)**
Coefficient of Friction:
 ≥ 0.31 (Ceramic & Cleaner)
 ≥ 0.19 (Ceramic & Glycerin)



Puncture
Puncture Resist
1,100 Newton



**Electrostatic Discharge
(ESD)**
 $1 \times 10^5 \leq R \leq 1 \times 10^8 \Omega$
(0.1 to 100M Ω)



Hydrocarbon
Outsole Fuel Oil Resist
Volume Increase $\leq 12\%$



Water Resistance
Water Resistant Footwear



**Heat Resistance Outsole
(HRO)**
Outsole Heat Contact Resist
300°C for 1 min



**Water Penetration
Resistance Upper**



Shock Absorption
Heel Region Energy Absorption



Ergonomics
Comfortable Fitting
& Stability Support



Vapor Permeability
Water Vapour Permeability:
 $\geq 0.8 \text{ mg/cm}^2 \cdot \text{h}$
Water Vapour Coefficient:
 $\geq 15 \text{ mg/cm}^2$



Electrical Hazard
Electric Shock Resist Outsole
ASTM 2413



Genuine Leather
Full Grain Leather
Cow/Buffalo



Metal Free
Non-Metallic Footwear



Ladies Footwear
Women UK Size



Broad Fitting
Reduce Exacerbate on Toe & Bunion